

Model BFV-300

File Number: EX15071

COMPANY

TYCO FIRE & BUILDING PRODUCTS

1467 ELMWOOD AVE
 CRANSTON, RI 02910-3849 United States

MODEL INFO

BFV-300
 Butterfly Valve

ATTRIBUTES AND RATINGS				
Size, NPS	End Configuration	Pressure Rating, psig (kPa)	Indicator Post	Supervisory Tamper Switch
2, 2-1/2, 3, 4, 5, 6, Groove 8		300 (2068)	No	Indoor installation, Outdoor installation

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Model BFV-300

File Number: EX15071

COMPANY

TYCO FIRE & BUILDING PRODUCTS

1467 ELMWOOD AVE
CRANSTON, RI 02910-3849 United States

MODEL INFO

BFV-300
Butterfly Valve

ATTRIBUTES AND RATINGS

Size, NPS End Configuration Pressure Rating, psig (kPa) Indicator Post Supervisory Tamper Switch

10, 12	Groove	175 (1206)	No	Indoor installation, Outdoor installation
--------	--------	------------	----	---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."